Knowledge questions	Before PI			After PI			
	T %	F %	U.K %	T %	F %	U.K %	
- Are you know the regimen of chemotherapy, before the treatment? A) Yes?	34	66	0	94	6	0	
3) No?							
Do you recognise the names of the chemotherapy medications that use	20	80	0	62	38	0	
))							
.) Yes? .) No?							
Do you believe the chemotherapy leaking out of the blood vessels causes	28	26	46	84	2	14	
y harm to the nearby tissues?					_		
) Yes?							
) No?							
) I don't know? What should you do if you experience nausea and vomiting while	34	66		84	16	0	
tting chemotherapy?	34	00		04	10	O	
Eat frequent but smaller meals?							
) Avoid nasty smell, such as smoke or perfume?							
E) Eat greasy food? D) Take a deep breath slowly, while you felt like to vomit?							
Do you believe that chemotherapy-related hair loss could be regrow?	92	0	8	100	0	0	
) Yes?							
) No?							
) I don't know?	EA	26	10	00	10	0	
If your temperature was above 38 C while receiving chemotherapy, what ould you do?	54	36	10	90	10	0	
a) Take antipyretic analgesics, such as aspirin?							
Tell your doctors or nurse?							
n) Don't take measures?							
(b) I don't know? What should you do if during chemotherapy your white blood cell count	46	12	42	90	2	8	
creased?	40	12	42	90	2	o	
Don't contact with cold, flu, measles or the chicken pox patient?							
3) Get vaccinated for influenzas and pneumonia?							
?) Play in public places?							
0) I don't know? Which of the following was the low platelet phenomenon? (Can choose	14	8	78	86	6	8	
ore)	14	O	76	00	U	O	
(x) Unexplained cyanosis of skin?							
3) Gums and nose bleeding?							
C) Nausea? D) I don't know?							
If your platelets decreased while receiving chemotherapy, what should	12	2	86	88	0	12	
ou do?		-	00	00	Ü		
a) Brush your teeth with a so bristle toothbrush?							
B) Use dental floss?							
C) Avoid injuries such as damage or burns? O) I don't know?							
- If you developed an oral cavity ulcer while receiving chemotherapy,	70	6	24	100	0	0	
hat should you do?							
.) Eat hot food?							
B) Eat warm food? C) Eat spicy food?							
D) I don't know?							
- When receiving chemotherapy, what should you do if a metal taste	50	14	36	80	14	6	
curs in your mouth?							
) Eat frequent but smaller meals?							
) Brush teeth or rinses mouth before meals? () Eat with metal tableware?							
o) I don't know?							
- When receiving chemotherapy, what should you do if you had	22	40	38	78	20	2	
arrhea?							
Drink milk?Eat high-fiber food such as fresh fruit and vegetable?							
Eat low-fiber food such as boiled egg, fish?							
) I don't know?							
- When receiving chemotherapy, what should you do if you had	40	36	24	92	6	2	
nstipation?							
a) Drink plenty of water? b) Take laxative?							
) Lay on bed to rest?							
) I don't know?							
- During the chemotherapy, would you need to drink a lot of water?	48	28	24	98	2	0	
.) Yes?							
) No?							

T. True, F. False, U.K. Unknown, PI. Pharmaceutical intervention

Table (3): Knowledge dimension pre and post-pharmaceutical intervention.

Attitude questions	PI	C.A%	A%	N%	DA%	CD %
1						
15- What do you think of the idea that most adverse effects from chemotherapy will disappear after the treatment?	Before	30	56	12	2	0
	After	72	28	0	0	0
16- What do you think of the idea that nausea and vomiting brought on by chemotherapy can be avoided or reduced?	Before	4	56	28	12	0
	After	54	32	6	8	0
17- What is your opinion on the idea that self-care could help to reduce the side effects of chemotherapy?	Before	32	52	12	4	0
	After	50	46	2	2	0
18- What is your opinion on the idea that using analgesics to treat pain could lead to "addiction"?	Before	10	22	2	66	0
	After	28	38	22	12	0
19- Would you want to learn health education about chemotherapy?	Before	68	28	2	2	0
	After	80	20	0	0	0

Table (5): Practice domain pre- and post-pharmaceutical intervention

Practice questions	Before PI			After PI			
	Т%	F %	U.K %	Т%	F %	U.K %	
20- What action should you take if chemotherapy medication leaks	82	14	4	94	4	2	
out of the blood vessels?							
(A) Call the nurse immediately?							
(B) Slow infusion rate to continue to infuse?							
(C) No matter, do not pay attention?							
(D) I don't know?							
21- Which of the following is not appropriate if hair loss was a side	12	22	66	82	10	8	
effect of chemotherapy?							
(A) Use a mild shampoo?							
(B) Wear a hat to prevent sunburn?							
(C) Perm the hair to be curly?							
(D) I don't know?							
22- If you felt tired while receiving chemotherapy, what should you	26	58	16	56	42	2	
do?							
(A) Lie on the bed to rest continuously?							
(B) Save energy, combine work with adequate rest?							
(C) don't take work?							
(D) I don't know?							
23- On medical advice, would you arrive back at the hospital in	100	0	0	100	0	0	
time for the chemotherapy?							
(A) Yes?							
(B) No?							
(C) I don't know?							
T. True, F. False, U.K. Unknown, PI. Pharmaceutical intervention							

Copyright (c) 2024 Karrar H. AlKashaf & Samer I. Mohammed